
Natural Gas Infrastructure Reliability Industry Forums


Virtual Pipeline System Testbed to Optimize the U.S. Natural Gas Transmission Pipeline System

Kirby S. Chapman, Ph.D.
National Gas Machinery Laboratory
Kansas State University
Manhattan, Kansas
September 16, 2002

Agenda

- Review project intent, tasks, and objectives
 - Progress to date
 - Pipeline & Compressor Station Simulation Meeting at K-State
 - How are current software applications used?
 - Positives and negatives
 - Prioritize needs and features
 - Finalize key project outcomes critical to industry
 - Next steps
-



The Project...



Project Objective

Develop and integrate
compressor station
and pipeline system component
computer models into the
Virtual Pipeline System Testbed

Pipeline Illustration



VPST Will Determine


- System pressures and flow rates
 - Pollutant emissions?
 - Fuel consumed
 - System line pack as function of time
 - Gas is compressible
 - Line pipe acts as a capacitor
-

VPST Users



Economists

Reliability engineers
Pipeline operators
Pipeline designers



Researchers

Benefits

Increased Capacity
Higher reliability

Lower Emissions
per
Unit of Gas

```
graph TD; A[Increased Capacity  
Higher reliability] --> C[Lower-Cost  
Natural Gas]; B[Lower Emissions  
per  
Unit of Gas] --> C; C --> D[Increased  
Competitiveness  
of U.S. companies];
```

Lower-Cost
Natural Gas

Some believe that as much as
a 20% increase in capacity
can be achieved by
optimization alone

Increased
Competitiveness
of U.S. companies

Previous Work

- Steady state simulations exist in the public domain and in private industry
 - Dynamic simulations are few
 - No dynamic simulation fully addresses the needs of pipeline operation
 - Compressor station components need additional detail
 - Complex input data for complex systems
-

Knowledge to be Gained

- Clear understanding of the interaction between pipeline components within the system
 - Used to determine the impact of system changes on
 - ❑ Deliverability of gas
 - ❑ Environment
 - ❑ Safety and reliability
 - ❑ Pollutant emissions?
-

Tasks

1. Develop component models
 2. Develop optimization algorithm
 3. Software & hardware implementation
 4. Develop control modules
 5. Evaluate & analyze pipeline events
-

Task 1

VPST Integrated Components

- Compressor station
 - Reciprocating and gas turbine engines
 - Reciprocating and centrifugal compressors
 - Turbochargers
 - Others
 - Pipe
 - Gas supply sources
 - Blocking valves
 - Metering stations
 - End-user demand markets
-


Task 2

Optimization Algorithms

- Work conducted by Dr. Prakash Krishnaswami (mechanical engineer)
 - Make decisions for new pipeline construction
 - Determine operational rules to deliver gas in the most efficient/low cost and reliable path
-

Robustly Design and Operate Optimization Strategy

- Balance reliability with cost
- Minimize impact of failures



Task 3

Computer Architecture & Solution Techniques

- Work conducted by Dr. Virgil Wallentine (computer scientist)
 - Parallel computing
 - Beowulf cluster of *shared memory* processors
 - Graphical user interface where user will drag icons to desired location
-

Task 4

Control Model

- VPST compressor station node will be programmed with control logic to represent the suction/discharge pressure control strategy
 - Additional ability to evaluate engine control systems
 - Real-time control of pipeline?
-

Task 5

Demonstrate VPST


- “Base” pipeline system created with input from the industry
 - Develop performance index
 - Run VPST over a series of cases
-

Operational Examples

- Insert new ignition system on all engines in the system
 - Replace horsepower with gas turbines
 - Determine the most **reliable** and **efficient** way to deliver gas to a region
 - Investigate the impact of control strategies
 - Investigate the environmental impact of upgrading one particular compressor station in an entire system
-

Where we are today...


Major Milestones




Our Basic Attack

- Develop a basic “pipe” model
 - Develop basic compressor station component models
 - Test these models within the “pipe” model
 - Enhance and increase sophistication of component models
 - Turbochargers
 - Engines
 - Filtration systems
 - Enhanced mixing
-

Our Basic “Pipe” Model



Program Flow Diagram



P&CSS Meeting at K-State

August 28, 2002

- Identify positives and negatives of existing pipeline simulation software
 - Determine features and models that need to be developed to make existing software more useable and accurate
 - Determine specific outcomes from the current DOE project that will be most useful to the industry
-


Attendees

- El Paso Corporation
 - ANR Pipeline
 - Tennessee Gas Pipeline
 - Colorado Interstate Pipeline
 - Northern Natural Gas Pipeline
 - Pipeline Research Council International
 - Advanced Engine Technology Corporation
 - Interested, but could not attend
 - Williams Pipeline
 - CMS Energy
 - NiSource
-



Meeting Format

- Identify how current software is used
 - Discuss positives and negatives of current software
 - Identify features that are missing
 - Prioritize key features that are of the most benefit to the user community
 - Follow-up plans
-

Software Vendors

- Gregg Engineering
 - Advantica-Stoner
 - Energy Solutions, International
 - Simulations
- 
- Focus mostly on line pipe between compressor stations
- Others working on optimization
 - ProStrategic (previous work with airline industry)
 - Adaptive Trade
-

Pipeline Illustration



How Industry Uses Vendor Software

- Assess impact of storage on dynamic deliverability
 - Determine quantity of extra available hp
 - Evaluate operation and design
 - Determine incremental hp necessary to overcome bottleneck
 - Interface with SCADA systems to
 - Save fuel
 - Determine where and when maintenance is necessary
-

Potential Uses Not Currently Available

- Determine impact of “upset” conditions
 - Expert system
 - Analyze data to see if system is operating at peak capacity
 - Diagnose compressor station problems
 - Engine and compressor performance calculations are not standardized
 - Individual compressor flow rate and the ability to map compressors in real-time
 - Ambient de-rates and up-rates
 - Engine startup and shutdown
 - Impact of distributed power plants on interruptible gas supply
 - **Compressor station simulation**
-

Recommended New Focus

- Focus on compressor station components
 - Work with vendors so that K-State model would “hook” into vendor programs
 - Expert system to help
 - Diagnose problems
 - Review data input from SCADA systems
 - Recognize when data is invalid
 - Optimization
 - Cost of operating in the planning stage is based on fuel
 - Incorporate the impact of maintenance costs
-

Key Components

- Engines
 - Turbines
 - Compressors
- Be able to mix and match. There are examples in the field of reciprocating engines driving centrifugal compressors
- Station yard piping – current losses may be more significant than originally thought
 - Gas composition – not currently well-done in vendor software
 - Scrubbers and filters – pressure drop can be high
 - Gas coolers – may be able to get higher throughput
-

Next Steps

- Contact software vendors
 - Assure vendors that we are not creating a “freeware” competing product
 - Mike Goodman (El Paso) and Gary Choquette (Northern Natural) agreed to co-sign letter
 - Outline meeting outcomes
 - Ask for ability to “hook” into their software
 - Presentation at Pipeline Simulation Interest Group meeting
 - Mike Goodman to request time slot
 - October 23-25
 - Continue development of compressor station components
-

Thanks for your participation,
and the valuable assistance and feedback
from El Paso Corporation, Northern Natural Gas,
AETC, PRCI, and the DOE SCNG

Contact information

Kirby S. Chapman, Professor and Director
K-State National Gas Machinery Laboratory
245 Levee Drive
Manhattan, KS 66502

O: (785) 532-2319

F: (785) 532-3744

chapman@ksu.edu

<http://www.ngml.ksu.edu>
